


MATERIAL SAFETY DATA SHEET

Enviro-Flush TY-4060 Premium Toilet Activator Portable Toilets and Recreational Equipment

NFPA 	HMIS <table border="1"><tr><td>HEALTH</td><td style="text-align: center;">1</td></tr><tr><td>FLAMMABILITY</td><td style="text-align: center;">1</td></tr><tr><td>REACTIVITY</td><td style="text-align: center;">0</td></tr><tr><td>PERSONAL PROTECTION</td><td style="text-align: center;"> </td></tr></table>	HEALTH	1	FLAMMABILITY	1	REACTIVITY	0	PERSONAL PROTECTION	
HEALTH	1								
FLAMMABILITY	1								
REACTIVITY	0								
PERSONAL PROTECTION									

1. Product And Company Identification

Supplier ASAS / Tysol, Inc. 1561 Woodlane Drive PO Box 25098 Woodbury, MN 55125 USA Company Contact: Tom Ewing Telephone Number: 651-730-5639 FAX Number: 651-730-5107 E-Mail: tom@tysol.com Web Site: www.tysol.com	Manufacturer ASAS / Tysol, Inc. 1561 Woodlane Drive PO Box 25098 Woodbury, MN 55125 USA Company Contact: Tom Ewing Telephone Number: 651-730-5639 FAX Number: 651-730-5107 E-Mail: tom@tysol.com Web Site: www.tysol.com
---	---

Supplier Emergency Contacts & Phone Number Medical Emergency Hotline: 1-800-228-5635	Manufacturer Emergency Contacts & Phone Number Medical Emergency Hotline: 1-800-228-5635
--	--

Issue Date: 06/14/2007

Product Name: Enviro-Flush TY-4060 Premium Toilet Activator Portable Toilets and Recreational Equipment
Chemical Name: Quaternary solution
CAS Number: Not Established
Chemical Family: Quaternary solution
Chemical Formula: mixture
MSDS Number: 139

Product/Material Uses
Toilet Activator- Concentrate

2. Composition/Information On Ingredients

Ingredient Name	CAS Number		Percent Of Total Weight
ALKYL (C12-C16) DIMETHYLBENZYLAMMONIUM CHLORIDES	8001-54-5	<	15
DIDECYL DIMETHYL AMMONIUM CHLORIDE	7173-51-5	<	15
ISOPROPANOL	67-63-0	<	10

3. Hazards Identification

Primary Routes(s) Of Entry
Eye Contact, Skin Contact, Inhalation, Ingestion - possible, but considered unlikely.

Eye Hazards
May cause eye irritation.

Skin Hazards
May cause skin irritation.

MATERIAL SAFETY DATA SHEET

Enviro-Flush TY-4060 Premium Toilet Activator Portable Toilets and Recreational Equipment

3. Hazards Identification - Continued

Ingestion Hazards

Harmful if swallowed.

Inhalation Hazards

May cause respiratory tract irritation.

Subchronic (Target Organ Effects)

Unknown.

Chronic/Carcinogenicity Effects

This product is considered non-hazardous when evaluated by criteria established in the OSHA Hazard Communication Standard (29 CFR 1910.1200).

4. First Aid Measures

Eye

In case of contact, remove contact lenses, if worn, immediately flush eyes with plenty of water for 15 minutes. Get medical attention immediately.

Skin

In case of contact, immediately flush skin with plenty of water.

Ingestion

Give water if swallowed.

Inhalation

If inhaled, remove to fresh air.

5. Fire Fighting Measures

Flash Point: >150 °F

Flammability Class: combustible

Lower Explosive Limit: NE

Upper Explosive Limit: NE

Extinguishing Media

Use the appropriate extinguishing media for the surrounding fire.

Fire Fighting Instructions

For any chemical fire firefighters should wear self-contained breathing apparatus and full protective gear.

6. Accidental Release Measures

Flush spill area with water.

7. Handling And Storage

Handling And Storage Precautions

Keep containers tightly closed. Keep out of reach of children. Wash thoroughly after handling.

Handling Precautions

Avoid contact with eyes. Avoid contact with skin and clothing. Do not take internally.

Storage Precautions

Keep from freezing.

Work/Hygienic Practices

Wash thoroughly after handling.

MATERIAL SAFETY DATA SHEET

Enviro-Flush TY-4060 Premium Toilet Activator Portable Toilets and Recreational Equipment

8. Exposure Controls/Personal Protection

Eye/Face Protection

Safety glasses with side shields or goggles.

Skin Protection

Chemical-resistant gloves.

Respiratory Protection

General room ventilation is normally adequate.

Other/General Protection

Eye wash stations in the work area.

Ingredient(s) - Exposure Limits

ALKYL (C12-C16) DIMETHYLBENZYLAMMONIUM CHLORIDES

OSHA PEL NE

ACGIH TLV NE

DIDECYL DIMETHYL AMMONIUM CHLORIDE

OSHA PEL NE

ACGIH TLV NE

ISOPROPANOL

OSHA PEL 400 ppm

ACGIH TLV 400ppm

9. Physical And Chemical Properties

Appearance

Clear blue liquid.

Odor

Citrus aroma.

Chemical Type: Mixture

Physical State: Liquid

Boiling Point: 212 °F

Specific Gravity: <1

Percent Volatiles: >90

Percent VOCs: <10

Vapor Pressure: N.E.

Vapor Density: N.E.

pH Factor: 6-8 At a Concentration Of 100%

Solubility: Complete

Viscosity: N.E.

Evaporation Rate: N.A.

10. Stability And Reactivity

Stability: Stable

Hazardous Polymerization: Will not occur

11. Toxicological Information

No Data Available...

12. Ecological Information

No Data Available...

MATERIAL SAFETY DATA SHEET

Enviro-Flush TY-4060 Premium Toilet Activator Portable Toilets and Recreational Equipment

13. Disposal Considerations

Dispose in accordance with applicable federal, state and local government regulations.

14. Transport Information

Proper Shipping Name

use product name

Freight Class

55

15. Regulatory Information

SARA Section 313 Notification

This product does not contain any ingredients regulated under Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 or 40 CFR 372.

16. Other Information

NFPA Rating

Health: 1

Fire: 1

Reactivity: 0

HMIS Rating

Health: 1

Fire: 1

Reactivity: 0

Revision/Preparer Information

MSDS Preparer: TM

MSDS Preparer Phone Number: 651-730-4923

This MSDS Supercedes A Previous MSDS Dated: 05/01/2003

Disclaimer

The above information is to the best of our knowledge, current, accurate, and complete based on information reasonably available to us as of the date of preparation of this form. However, it is the user's responsibility to determine the safety, toxicity and suitability for his or her own use of the product described herein. Since the actual use by others is beyond our control, no guarantee, expressed or implied, is made by us to the effects of such use or on the safety or toxicity of this product. Nor do we assume any liability arising out of use by others of the product. Nor is the information herein to be construed as absolutely complete, since additional information may be necessary or desirable when exception conditions or circumstances exist or because of applicable laws or regulations.

ASAS / Tysol, Inc.