


MATERIAL SAFETY DATA SHEET

Page 1 of 4

GOTCHA Fuel and Oil Leak Tracer

NFPA 	HMIS <table border="1"><tr><td>HEALTH</td><td style="text-align: center;">1</td></tr><tr><td>FLAMMABILITY</td><td style="text-align: center;">2</td></tr><tr><td>REACTIVITY</td><td style="text-align: center;">0</td></tr><tr><td>PERSONAL PROTECTION</td><td style="text-align: center;"> </td></tr></table>	HEALTH	1	FLAMMABILITY	2	REACTIVITY	0	PERSONAL PROTECTION	
HEALTH	1								
FLAMMABILITY	2								
REACTIVITY	0								
PERSONAL PROTECTION									

1. Product And Company Identification

Supplier ASAS / Tysol, Inc. 1561 Woodlane Drive PO Box 25098 Woodbury, MN 55125 USA Company Contact: Tom Ewing Telephone Number: 651-730-5639 FAX Number: 651-730-5107 E-Mail: tom@tysol.com Web Site: www.tysol.com	Manufacturer ASAS / Tysol, Inc. 1561 Woodlane Drive PO Box 25098 Woodbury, MN 55125 USA Company Contact: Tom Ewing Telephone Number: 651-730-5639 FAX Number: 651-730-5107 E-Mail: tom@tysol.com Web Site: www.tysol.com
Supplier Emergency Contacts & Phone Number Medical Emergency Hotline: 1-800-228-5635	Manufacturer Emergency Contacts & Phone Number Medical Emergency Hotline: 1-800-228-5635

Issue Date: 10/30/2007

Product Name: GOTCHA Fuel and Oil Leak Tracer
Chemical Name: Tracing Dye
CAS Number: Not Established
Chemical Family: Hydrocarbon solvent
Chemical Formula: mixture
EPA Registry Number: none
MSDS Number: 8

2. Composition/Information On Ingredients

Ingredient Name	CAS Number	Percent Of Total Weight
PETROLEUM DISTILLATES, ALIPHATIC	64742-88-7	75 - 99

3. Hazards Identification

Primary Routes(s) Of Entry
Inhalation. Eye Contact. Ingestion. Skin Contact

Eye Hazards
Causes eye irritation.

Skin Hazards
Causes skin irritation.

Ingestion Hazards
Harmful if swallowed.

Inhalation Hazards
Causes respiratory tract irritation.

GOTCHA Fuel and Oil Leak Tracer

4. First Aid Measures

Eye

In case of contact, immediately flush eyes with plenty of water. Get medical attention immediately if irritation develops and persists.

Skin

Wash affected areas with soap and water.

Ingestion

DO NOT INDUCE VOMITING. Get medical attention immediately.

Inhalation

If inhaled, remove to fresh air. If not breathing, give artificial respiration.

5. Fire Fighting Measures

Flash Point: >141 °F

Flash Point Method: TCC

Flammability Class: combustible

Lower Explosive Limit: NE

Upper Explosive Limit: NE

Fire And Explosion Hazards

Combustible liquid. Keep away from heat, sparks and open flame.

Extinguishing Media

Use CO2 (Carbon Dioxide), dry chemical, or foam.

6. Accidental Release Measures

Avoid runoff to waterways and sewers. Eliminate all ignition sources. Collect and dispose.

7. Handling And Storage

Handling And Storage Precautions

Keep containers tightly closed. Keep out of reach of children.

Handling Precautions

Use only with adequate personal protection.

Storage Precautions

Keep away from heat, sparks, flame, and other sources of ignition (i.e., pilot lights, electric motors and static electricity).

Work/Hygienic Practices

Wash thoroughly with soap and water after handling.

8. Exposure Controls/Personal Protection

Eye/Face Protection

Safety glasses with side shields or goggles recommended.

Skin Protection

Chemical-resistant gloves.

Respiratory Protection

None normally required.

Ingredient(s) - Exposure Limits

PETROLEUM DISTILLATES, ALIPHATIC

ACGIH TLV 100 ppm

OSHA PEL 100 ppm

MATERIAL SAFETY DATA SHEET

Page 3 of 4

GOTCHA Fuel and Oil Leak Tracer

9. Physical And Chemical Properties

Appearance

Red as concentrate, Yellow-Green when diluted.

Odor

Mineral spirits

Chemical Type: Mixture

Physical State: Liquid

Boiling Point: >300 °F

Specific Gravity: <1

Percent VOCs: >80

pH Factor: 7-8 At a Concentration Of 100%

Solubility: Insoluble

Viscosity: like water

10. Stability And Reactivity

Stability: stable

Hazardous Polymerization: none described

Conditions To Avoid (Stability)

Avoid incompatible materials. Potential for spontaneous combustion in soaked rags.

Incompatible Materials

Avoid strong oxidizing and reducing agents. Avoid contact with strong acids.

11. Toxicological Information

No Data Available...

12. Ecological Information

No Data Available...

13. Disposal Considerations

Dispose in accordance with applicable federal, state and local government regulations.

RCRA Information

Waste solutions may meet the RCRA Ignitable characteristic.

14. Transport Information

Proper Shipping Name

Use product name for containers of less than 110 gallons.

Hazard Class

combustible

Freight Class

55

Packaging Exceptions

containers larger than 110 gallons require DOT hazard labeling

15. Regulatory Information

SARA Hazard Classes

Fire Hazard

SARA Section 313 Notification

This product does not contain any ingredients regulated under Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 or 40 CFR 372.

GOTCHA Fuel and Oil Leak Tracer

15. Regulatory Information - Continued

Ingredient(s) - U.S. Regulatory Information

PETROLEUM DISTILLATES, ALIPHATIC
RCRA Hazardous Waste

16. Other Information

NFPA Rating

Health: 1

Fire: 2

Reactivity: 0

HMIS Rating

Health: 1

Fire: 2

Reactivity: 0

Revision/Preparer Information

MSDS Preparer: TE

MSDS Preparer Phone Number: 651-730-4923

This MSDS Supercedes A Previous MSDS Dated: 09/10/2002

Disclaimer

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purposes(s).

ASAS / Tysol, Inc.